

## SSN 685 Glenard P. Lipscomb - 1985

### United States

Type: SSN - Nuclear Powered Attack

Submarine

Max Depth: -400 m

Max Speed: 23 kt

Commissioned: 1985

Length: 111.0 m

Beam: 9.8 m

Draft: 8.8 m

Crew: 121

Displacement: 5906 t

Displacement Full: 6584 t

Propulsion: 1x S5W Nuclear Reactor,

Turbo-Electric Transmission

#### Sensors / EW:

- AN/WLR-9A - (AN/BLR-14, Sonar Warning Receiver) Acoustic Intercept (Active Sonar Warning), Acoustic Intercept & Torpedo Warning, Max range: 27.8 km
- AN/BRD-6 - (AN/BLR-14, Sonar Warning Receiver) ESM, HF/DF, Max range: 926 km
- AN/TB-16 - (1978) TASS, Passive-Only Towed Array Sonar System, TASS, Passive-Only Fat Line Towed Array Sonar System, Max range: 129.6 km
- AN/BQS-14 - (1978) Hull Sonar, Active-Only, Hull Sonar, Active-Only Under-Ice Navigation and Mine & Obstacle Avoidance, Max range: 0.4 km
- AN/BPS-14 - (1978) Radar, Radar, Surface Search, Short-Range, Max range: 74.1 km
- AN/BQQ-5A(V)2 [BQS-12] - (Sturgeon, Assow w AN/BQS-14) Hull Sonar, Active/Passive, Hull Sonar, Active/Passive Search & Track, Max range: 74.1 km
- Generic Submarine Periscope, LLTV - (1980s/1990s, Gen 2, 1.5x/4x Zoom) Visual, LLTV, Surveillance & Navigation Camera, Max range: 41.7 km
- Generic Submarine Periscope, Optical - (1980s, 1.5x/8x Zoom) Visual, Visual, Surveillance Periscope, Max range: 41.7 km

---

#### Weapons / Loadouts:

- UGM-109A Tomahawk TLAM-N [W80-0 200kT Nuclear] - (1985-1991, TT) Guided Weapon. Land Max: 2500.2 km.
- UGM-109B Tomahawk TASM - (1985-1991, TT) Guided Weapon. Surface Max: 463 km.
- UGM-84C Harpoon IB - (1984) Guided Weapon. Surface Max: 120.4 km.
- UUM-44A SUBROC [10kT Nuclear DC] - (1966-1989) Guided Weapon. Subsurface Max: 55.6 km.
- Mk48 Mod 4 - (1982, 75% success rate) Torpedo. Surface Max: 11.1 km. Subsurface Max: 11.1 km.
- ADC Mk2 Mod 0 Torpedo Decoy - (1979, 3-inch) Decoy (Expendable). Subsurface Max: 1.9 km.